

| Action plan of SDAH division of Eastern Railway to comply CRB letter RB letter no. 2018/EnHM(CE)/01/02 DTD 17.04.2019 | | | | | | | | | | | |
|---|--|--|--|---|---|--|---|---|--|--|--|
| SL No. | Activity | Identified NSG Station | | | | Identified SG Station | | | | | |
| | | Present Status as on 31.05.2025 | | | | | | | | | |
| | | Sealdah stn/ SDAH Division/ER | Kolkata terminal stn/ SDAH Division/ER | Naihati JN stn/ SDAH Division/ER | Berhampur Court stn/ SDAH Division/ER | Barasat JN stn/ SDAH Division/ER | Barrackpore stn/ SDAH Division/ER | Baruipur stn/ SDAH Division/ER | Belgharia stn/ SDAH Division/ER | Bidhan nagar road stn/ SDAH Division/ER | Chakdah stn/ SDAH Division/ER |
| 1 | To achieve ISO 14001 | Certificate No.- KDAACE202209002 valid upto 06/09/2025 | Certificate No.- 24DEME62 valid upto 07/04/2027 | Certificate No.- 24DEMY36, valid up to 21/02/2027 | Certificate No.- 24DEML35, valid up to 21/02/2027 | Certificate No.- 24DEMO80, valid upto 11/04/2027 | Certificate No.- 24DEM73, valid upto 11/04/2027 | Certificate No.- 24DEMC80, valid upto 11/04/2027 | Certificate No.- 24DEMO81, valid upto 11/04/2027 | Certificate No.- 24DEMU79, valid upto 11/04/2027 | Certificate No.- 24DEMC79, valid upto 11/04/2027 |
| 2 | Water Audit | Done By NU Energy India in 2021 | Done departmentally in Nov'2021 | DONE | Done departmentally in Oct'2021 | Done BY Effluent & water treatment Engineers pvt ltd. | Done departmentally in Nov'2021 | Done departmentally in Nov'2021 | Done departmentally in Nov'2021 | Done departmentally in Nov'2021 | Done departmentally in Nov'2021 |
| 3 | Energy Audit | Done departmentally in 2024 | Done departmentally in 2024 | Done departmentally in 2024 | Done departmentally in 2024 | Done departmentally in sept.2021 | Done departmentally in 2024 | Done departmentally in sept.2021 | Done departmentally in sept.2021 | Done departmentally in sept.2021 | Done departmentally in 2024 |
| 4A | Gross water consumption (M ³ /Day) | 1993 | 1853 | 325 | 60 | 260 | 105 | 90 | 35 | 90 | 110 |
| 4B | Scope of Recycling of water/ Effluent/Sewerage.(KLD) | 1600 KLD,ETP | 1500 KLD,WRP | 25 KLD | 25 KLD | 200 KLD STP (installed but not yet commissioned) | 25 KLD | 25 KLD | 25 KLD | 25 KLD | 25 KLD |
| 4C | Effluent/Water/Sewerage Recycling plant planned (KLD)(with TDC) | WTP OF 1600 KLD under proposal stage by engineering ETP of 150 KLD under Proposal Stage by Mech. Department | ETP of 100 KLD adjacent to Mechanized Laundry Plant under Proposal Stage by Mech. Department | STP cum recycling plant of capacity 25 KLD to be installed.LOA issued | STP cum recycling plant of capacity 25 KLD to be installed.LOA issued | Installation of 50 KLD capacity ETP at carshed under proposal stage by Elec/TRS deptt. | STP cum recycling plant of capacity 25 KLD to be installed.LOA issued | STP cum recycling plant of capacity 25 KLD to be installed.LOA issued | 25 KLD ETP proposal uploaded in PH-53 awaiting for HQ approval | Nil | 25 KLD ETP proposal uploaded in PH-53 awaiting for HQ approval |
| 4D | Capacity of ETP/STP/WRP already installed (KLD) | 700 KLD ETP cum WRP | 7000 KLD ETP (2X3500 KLD) | 25 KLD (LOA issued) | 25 KLD (LOA issued) | 01 STP installed (200 KLD) commissioning due | 25 KLD (LOA issued) | 25 KLD (LOA issued) | NIL | NIL | NIL |
| 4E | Recycled water available (KLD) | 700 KLD | NIL | NA | NA | 200 KLD (Under process) | NIL | NIL | NIL | NIL | NA |

| Action plan of SDAH division of Eastern Railway to comply CRB letter RB letter no. 2018/EnHM(CE)/01/02 DTD 17.04.2019 | | | | | | | | | | | |
|---|---|--|--|---|---|---|---|---|---|---|---|
| SL No. | Activity | Identified NSG Station | | | | Identified SG Station | | | | | |
| | | Present Status as on 31.05.2025 | | | | | | | | | |
| | | Sealdah stn/ SDAH Division/ER | Kolkata terminal stn/ SDAH Division/ER | Naihati JN stn/ SDAH Division/ER | Berhampur Court stn/ SDAH Division/ER | Barasat JN stn/ SDAH Division/ER | Barrackpore stn/ SDAH Division/ER | Baruipur stn/ SDAH Division/ER | Belgharia stn/ SDAH Division/ER | Bidhan nagar road stn/ SDAH Division/ER | Chakdah stn/ SDAH Division/ER |
| 5A | Total no. of DUSTBINS required for Segregated collection of solid waste (In pair) | 122 pair | 80 pair | 60 pair | 16 pair | 40 pair | 33 pair | 20 pair | 19 pair | 28 pair | 16 pair |
| 5B | Dustbins to be provided (In Pair) | Provided | Provided | Provided | Provided | Provided | Provided | Provided | Provided | Provided | Provided |
| 6A | No. of plastic bottle crushing machines planned | 4 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6B | No. of plastic bottle crushing machines Provided | 4 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 7 | COMPOSTING Plant at Rly. Stn. | 01 (capacity 500 kgs wet waste per day- Operation running) | 01 (capacity 250 Kg wet waste per day- Operation running) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) |
| 8 | Material Recovery Facility (MRF) | MRF installed and operation started 2025. | Plastic waste processing facility under progress | Not available |
| 9 | Status of cleaning contract.(Yes/No) | YES | YES | YES | YES | YES | YES | YES | YES | NO | YES |
| 10 | Has segregated waste Transportation introduced?(Yes/No) | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | Cleaning is being done by utilising Cash Imprest | YES, Included in scope of work in cleaning contract |
| 11 | Rag picking contract status (for approaches to station track beyond 50 M from edge of furthest PF). | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Rag picking is being done by utilising Cash Imprest | Available, included in cleaning contract of the station |
| 12 | CCTV cameras foot monitoring for cleanliness (nos.) | 240 nos provided | 56 nos provided | 35 nos provided | 27 nos provided | 24 nos provided | 62 nos provided | 21 nos provided | 03 nos provided | 51 nos provided | 19 nos provided |

| Action plan of SDAH division of Eastern Railway to comply CRB letter RB letter no. 2018/EnHM(CE)/01/02 DTD 17.04.2019 | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SL No. | Activity | Identified NSG Station | | | | Identified SG Station | | | | | |
| | | Present Status as on 31.05.2025 | | | | | | | | | |
| | | Sealdah stn/ SDAH Division/ER | Kolkata terminal stn/ SDAH Division/ER | Naihati JN stn/ SDAH Division/ER | Berhampur Court stn/ SDAH Division/ER | Barasat JN stn/ SDAH Division/ER | Barrackpore stn/ SDAH Division/ER | Baruipur stn/ SDAH Division/ER | Belgharia stn/ SDAH Division/ER | Bidhan nagar road stn/ SDAH Division/ER | Chakdah stn/ SDAH Division/ER |
| 13 | Authority nominated to penalize the persons involved in littering stations | Sr.DCM/SDAH, commercial department is nominated |
| 14A | No. of locations for display of notice for penalty and posters on public awareness campaigns. | 26 | 10 | 7 | 4 | 9 | 7 | 8 | 12 | 17 | 8 |
| 14B | Notice/ posters available (no.s) | 26 | 10 | 7 | 4 | 9 | 4 | 8 | 12 | 10 | 8 |
| 14C | No. of passenger penalize | Jan 25- May 25 = 10387 | Jan 25- May 25 =00 | Jan 25- May 25 =2115 | Jan 25- May 25 =79 | Jan 25- May 25 =429 | Jan 25- May 25 =00 | Jan 25- May 25 =93 | Jan 25- May 25 =00 | Jan 25- May 25 =72 | Jan 25- May 25 =00 |
| 14D | Penalty collected (Rs. in laks.) | Jan 25- May 25 =14.1295 | Jan 25- May 25 =00 | Jan 25- May 25 =2.581 | Jan 25- May 25 =0.141 | Jan 25- May 25 =0.73 | Jan 25- May 25 =00 | Jan 25- May 25 =0.1769 | Jan 25- May 25 =00 | Jan 25- May 25 =0.135 | Jan 25- May 25 =00 |
| 15 | Teams formed to prevent open defecation on track.(nos) | Multi disciplinary committee has been formed |
| 16 | No. of Encroachment along the track which are creating nuisance. | 10 nos at Track Side + 264 at PF | Nil | 155 at PF area | nil | 356 at PF area | Nil | 433 at PF area | nil | 2 LOCATION AT TRACK SIDE & 219 AT PF | only in PF area |
| 17 | Location of illegal dumping on railway areas. | NIL | NIL | 1 | 1 | 2 | 1 (Vat is provided) | 2 | 2 | 4 | 1 |
| 18 | No. of locations requiring B/wall to prevent unauthorized dumping on railway land. | NIL | NIL | 1 | 1 | 2 | Nil | 2 | 4 | 4 | 1 |

| Action plan of SDAH division of Eastern Railway to comply CRB letter RB letter no. 2018/EnHM(CE)/01/02 DTD 17.04.2019 | | | | | | | | | | | |
|---|---|--|--|---|--|---|--|---|---|---|---|
| SL No. | Activity | Identified SG Station | | | | | | | | | |
| | | Present Status as on 31.05.2025 | | | | | | | | | |
| | | Dumdum JN stn/ SDAH Division/ER | Habra stn/ SDAH Division/ER | Khardah stn/ SDAH Division/ER | Krishnanagar city stn/ SDAH Division/ER | Madhyamgram stn/ SDAH Division/ER | Ranaghat stn/ SDAH Division/ER | Shyamnagar stn/ SDAH Division/ER | Sodpur stn/ SDAH Division/ER | Sonarpur stn/ SDAH Division/ER | Subhasgram stn/ SDAH Division/ER |
| 1 | To achieve ISO 14001 | Certificate No.- 24DEMB58, valid upto 11/04/2027 | Certificate No.- 24DEMY77, valid upto 11/04/2027 | Certificate No.- 24DEMW63, valid upto 11/04/2027 | Certificate No.- 24DEMW64, valid upto 11/04/2027 | Certificate No.- 24DEML66, valid upto 11/04/2027 | Certificate No.- 24DEMG74, valid upto 11/04/2027 | Certificate No.- 24DEMU76, valid upto 07/04/2027 | Certificate No.- 24DEME61, valid upto 07/04/2027 | Certificate No.- 24DEMG73, valid upto 11/04/2027 | Certificate No.- 24DEMG71, valid upto 07/04/2027 |
| 2 | Water Audit | Done departmentally in Nov'2021 | Done departmentally in Nov'2021 | Done departmentally in Nov'2021 | Done departmentally in Oct'2021 | Done departmentally in Oct'2021 | Done departmentally in Oct'2021 | Done departmentall y in Nov'2021 | Done departmentally in Nov'2021 | Done departmentally in Nov'2021 | Done departmentally in Nov'2021 |
| 3 | Energy Audit | Done departmentally in sept.2021 | Done departmentally in sept.2021 | Done departmentally in sept.2021 | Done departmentally in 2024 | Done departmentally in sept.2021 | Done departmentally in 2024 | Done departmentall y in 2024 | Done departmentally in 2024 | Done departmentally in sept.2021 | Done departmentally in sept.2021 |
| 4A | Gross water consumption (M ³ /Day) | 105 | 90 | 45 | 227 | 115 | 160 | 142 | 30 | 120 | 30 |
| 4B | Scope of Recycling of water/ Effluent/Sewerage.(KLD) | 25 KLD | 25 KLD | 25 KLD | 50 KLD | 25 KLD | 50 KLD | 50 KLD | 25 KLD | 25 KLD | 25 KLD |
| 4C | Effluent/Water/Sewerage Recycling plant planned (KLD)(with TDC) | Nil | STP cum recycling plant of capacity 25 KLD to be installed.LOA issued | 25 KLD ETP proposal uploaded in PH- 53 awaiting for HQ approval | STP cum recycling plant of capacity 25 KLD to be installed.LOA issued | STP cum recycling plant of capacity 25 KLD to be installed.LOA issued | (i) STP cum recycling plant of capacity 25 KLD to be installed.LOA issued (ii) ETP of 50 KLD under Proposal Stage by Elec/TRS deptt. | 25 KLD ETP proposal uploaded in PH-53 awaiting for HQ approval | 25 KLD ETP proposal uploaded in PH- 53 awaiting for HQ approval | STP cum recycling plant of capacity 25 KLD to be installed.LOA issued | 25 KLD ETP proposal uploaded in PH- 53 awaiting for HQ approval |
| 4D | Capacity of ETP/STP/WRP already installed (KLD) | NIL | 25 KLD (LOA issued) | NIL | 25 KLD (LOA issued) | 25 KLD (LOA issued) | 25 KLD (LOA issued) | NIL | NIL | 25 KLD (LOA issued) | NIL |
| 4E | Recycled water available (KLD) | NIL | NIL | NIL | NA | NIL | NA | NA | NIL | NIL | NIL |

| Action plan of SDAH division of Eastern Railway to comply CRB letter RB letter no. 2018/EnHM(CE)/01/02 DTD 17.04.2019 | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SL No. | Activity | Identified SG Station | | | | | | | | | |
| | | Present Status as on 31.05.2025 | | | | | | | | | |
| | | Dumdum JN stn/ SDAH Division/ER | Habra stn/ SDAH Division/ER | Khardah stn/ SDAH Division/ER | Krishnanagar city stn/ SDAH Division/ER | Madhyamgram stn/ SDAH Division/ER | Ranaghat stn/ SDAH Division/ER | Shyamnagar stn/ SDAH Division/ER | Sodpur stn/ SDAH Division/ER | Sonarpur stn/ SDAH Division/ER | Subhasgram stn/ SDAH Division/ER |
| 5A | Total no. of DUSTBINS required for Segregated collection of solid waste (In pair) | 22 pair | 14 pair | 18 pair | 20 pair | 14 pair | 60 pair | 20 pair | 20 pair | 20 pair | 11 pair |
| 5B | Dustbins to be provided (In Pair) | Provided |
| 6A | No. of plastic bottle crushing machines planned | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6B | No. of plastic bottle crushing machines Provided | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 7 | COMPOSTING Plant at Rly. Stn. | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) | Not Required (Small capacity composting bin installed & in operation) |
| 8 | Material Recovery Facility (MRF) | Not available |
| 9 | Status of cleaning contract.(Yes/No) | YES | YES | NO | YES | YES | YES | NO | YES | YES | NO |
| 10 | Has segregated waste Transportation introduced?(Yes/No) | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | Cleaning is being done by utilising Cash Imprest | YES, Included in scope of work in cleaning contract | YES, Included in scope of work in cleaning contract | Cleaning is being done by utilising Cash Imprest |
| 11 | Rag picking contract status (for approaches to station track beyond 50 M from edge of furthest PF). | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Rag picking is being done by utilising Cash Imprest | Available, included in cleaning contract of the station | Available, included in cleaning contract of the station | Rag picking is being done by utilising Cash Imprest |
| 12 | CCTV cameras foot monitoring for cleanliness (nos.) | 13 nos provided | 03 nos provided | 36 nos provided | 03 nos provided | 26 nos provided | 37 nos provided | 26 nos provided | 10 nos provided | 33 nos provided | 18 nos provided |

| Action plan of SDAH division of Eastern Railway to comply CRB letter RB letter no. 2018/EnHM(CE)/01/02 DTD 17.04.2019 | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|
| SL No. | Activity | Identified SG Station | | | | | | | | | |
| | | Present Status as on 31.05.2025 | | | | | | | | | |
| | | Dumdum JN stn/ SDAH Division/ER | Habra stn/ SDAH Division/ER | Khardah stn/ SDAH Division/ER | Krishnanagar city stn/ SDAH Division/ER | Madhyamgram stn/ SDAH Division/ER | Ranaghat stn/ SDAH Division/ER | Shyamnagar stn/ SDAH Division/ER | Sodpur stn/ SDAH Division/ER | Sonarpur stn/ SDAH Division/ER | Subhasgram stn/ SDAH Division/ER |
| 13 | Authority nominated to penalize the persons involved in littering stations | Sr.DCM/SDAH, commercial department is nominated |
| 14A | No. of locations for display of notice for penalty and posters on public awareness campaigns. | 20 | 10 | 13 | 3 | 9 | 12 | 10 | 4 | 15 | 10 |
| 14B | Notice/ posters available (no.s) | 20 | 10 | 3 | 3 | 9 | 12 | 5 | 4 | 8 | 8 |
| 14C | No. of passenger penalize | Jan 25- May 25 =321 | Jan 25- May 25 =00 | Jan 25- May 25 =00 | Jan 25- May 25 =148 | Jan 25- May 25 =00 | Jan 25- May 25 =1265 | Jan 25- May 25 =00 | Jan 25- May 25 =00 | Jan 25- May 25 =797 | Jan 25- May 25 =00 |
| 14D | Penalty collected (Rs. in laks.) | Jan 25- May 25 =0.519 | Jan 25- May 25 =00 | Jan 25- May 25 =00 | Jan 25- May 25 =0.148 | Jan 25- May 25 =00 | Jan 25- May 25 =1.649 | Jan 25- May 25 =00 | Jan 25- May 25 =00 | Jan 25- May 25 =1.2 | Jan 25- May 25 =00 |
| 15 | Teams formed to prevent open defecation on track.(nos) | Multi disciplinary committee has been formed |
| 16 | No. of Encroachment along the track which are creating nuisance. | 225 at PF, Circulating area & parking area | 120 in track 453 in PF | NIL | NIL | NIL | NIL | NIL | AVAILABLE | 2 location at track side & 94 at PF | 2location at track side & 118 at PF |
| 17 | Location of illegal dumping on railway areas. | 1 | 6 | 2 | 3 | 2 | NIL | 2 | 3 | 1 | 1 |
| 18 | No. of locations requiring B/wall to prevent unauthorized dumping on railway land. | NIL | 4 | 1 |

